


Acero inoxidable

STAINLESS STEEL

ACIER INOXIDABLE

100I

Cuerpo de tensor abierto. INOX
S.S. Open body turnbuckle
Corps à tendeur ouvert. INOX




110I

Cuerpo de tensor tubo. INOX
S.S. Pipe turnbuckle body
Corps à tendeur. INOX




120I

Gancho de tensor. INOX
S.S. Turnbuckle's hook
Crochet à tendeur. INOX




121I

Anilla de tensor. INOX
S.S. Turnbuckle's eye
Oeil roulé à tendeur. INOX




123I

Horquilla de tensor. INOX
S.S. Turnbuckle's jaw
Chape à tendeur. INOX



130I

Horquilla móvil. INOX
S.S. Movable jaw screw
Chape articule. INOX



Tensores - Inox / S.S. TURNBUCKLES / TENDEURS - INOX

AISI 316

4

Ref.	05	06	08	10	12	14	16	20	22	24
	M-5	M-6	M-8	M-10	M-12	M-14	M-16	M-20	M-22	M-24
SWL (Kg)	100I	100	160	300	500	700	-	-	-	-
	110I	100	160	300	500	700	1.100	2.000	2.800	3.800
	120I	40	70	130	250	400	-	-	-	-
	121I	100	160	300	500	700	1.100	1.500	2.200	-
	123I	100	150	200	450	700	800	1.200	1.700	2.000
	130I	100	150	200	450	700	-	1.200	1.700	-
A (mm)	100I	67	84	105	115	138	-	-	-	-
	110I	80	95	105	125	150	165	190	210	255
	120I	62	75	91	109	135	-	-	-	-
	121I	60	70	81	97	120	134	154	177	-
	123I	66	82	98	118	140	145	175	175	230
	130I	76	80	98	118	138	-	185	210	-
B (mm)	120I	35	45	55	60	72	-	-	-	-
	121I	35	45	55	60	72	82	95	105	-
	123I	40	50	60	68	85	90	105	115	135
	130I	40	48	56	68	81	-	102	115	-
C (mm)	123I	6	7,5	10	11,5	13,5	14	15	19,5	24
	121I	8	10	11	16	20	20	23	25	-
	130I	6	7	10	13	14	-	18	20	-



112I

2 Anillas tubo INOX
S.S. 2 Eyes and pipe body
2 Anneaux INOX



101I

Gancho y Anilla. INOX
S.S. Hook and Eye
Crochet et Anneau. INOX



102I

2 Anillas INOX
S.S. 2 Eyes
2 Anneaux INOX




103I

2 Ganchos INOX
S.S. 2 Hooks
2 Crochet INOX



11TT

2 Terminales INOX
S.S. 2 Terminal
2 Tiges à sentir INOX




114I

Anilla y Horquilla INOX
S.S. Jaw and Eye pipe body
Ridoir et Anneau INOX



116I

2 Horquillas tubo INOX
S.S. 2 Jaws and pipe body
2 Chapes INOX





11TI

Horquilla y terminal INOX
S.S. Jaw, pipe body, Terminal
Ridoir à chape et Tige à sentir INOX



11AT

Anilla y Terminal INOX
S.S. Eye and Terminal
Anneau et Tige à sentir INOX




1VTI

Varilla terminal - Inox

S.S. SWAGE STUDS
TIGE À SERTIR - INOX
AISI 316

4	Ref.	A	B	R	L	CABLE (mm)	S.W.L. (Kgs)
	1VTI05	38	24	M-5	70	2,5	100
	1VTI06	50	32	M-6	90	3	160
	1VTI54	40	40	M-5	91	4	100
	1VTI64	44	40	M-6	95	4	160
	1VTI08	55	40	M-8	105	4	300
	1VTI65	50	40	M-6	105	5	160
	1VTI85	55	40	M-8	105	5	300
	1VTI10	67	57	M-10	134	5	500
	1VTI86	55	63	M-8	128	6	300
	1VTI106	63	63	M-10	136	6	500
	1VTI12	68	63	M-12	142	6	700
	1VTI14	89	70	M-14	170	7	1.100
	1VTI16	89	76	M-16	175	8	1.500
	1VTI1610	89	89	M-16	195	10	1.500
	1VTI20	116	89	M-20	217	10	2.200
	1VTI2212	140	100	M-22	260	12	2.500



Varilla terminal rosca dcha. - Inox

S.S. SWAGE STUDS RIGHT HAND
TIGE À SERTIR FILET DROIT - INOX
AISI 316

1VTIT

Ref.	R	C	L	B
1VTIT4	M5	4	40	80
1VTIT5	M6	5	40	95

Tope terminal - Inox - Cabeza redonda


S.S. SWAGE STUD WITH HEAD

TIGE À SERTIR - INOX - AVEC TÊTE

AISI 316

1VTIC

Ref.	A	B	C	D	d	E	CABLE (mm)
1VTIC4	15	4	50	7,4	4,2	40	4
1VTIC5	18	4	50	9	5,2	40	5



Cáncamo terminal - Inox




S.S. EYE TERMINAL

OEIL À SERTIR - INOX

AISI 316

1CTI

Ref.	A	B	C	L	CABLE (mm)
1CTI25	6	25	13	45	2,5
1CTI03	6,5	39	13	55	3
1CTI04	8	40	18	64	4
1CTI05	10	50	22	80	5
1CTI06	12,5	60	28	92	6
1CTI07	13	70	28	105	7
1CTI08	14,5	85	32	125	8
1CTI10	16,5	90	35	142	10



Horquilla terminal - Inox



S.S. FORK TERMINAL

CHAPE À SERTIR - INOX

AISI 316

1HTI

Ref.	A	B	C	L	E	CABLE (mm)
1HTI25	7	25	9	67	5	2,5
1HTI03	8	39	10	75	6	3
1HTI04	9	45	12	91	6	4
1HTIE4	6	40	9	64	5,2	4
1HTI05	11	50	14	108	9	5
1HTIE5	8	57	10	92	6	5
1HTIE6	10	63	11	95	8,7	6
1HTI06	14	65	20	120	9,5	6
1HTI07	14,5	70	22	125	14	7
1HTI08	16	80	27	160	16	8
1HTI10	17	90	27	175	17	10
1HTI12	20	105	31	200	19	12



Horquilla terminal móvil- Inox


S.S. MOVABLE JAW TERMINAL

CHAPE ARTICULÉ À SERTIR - INOX

AISI 316

1HTMI

Ref.	A	B	C	L	CABLE (mm)
1HTMI03	7	39	6	73	3
1HTMI04	10	45	8	92	4
1HTMI05	13	50	9	104	5
1HTMI06	13	65	12	129	6
1HTMI08	18	80	16	165	8
1HTMI10	20	105	19	192	10





Terminales manuales - Inox

S.S. QUICK TERMINALS

TERMINAL - INOX

AISI 316

Ref.	004	005	006	008	010
TUI					
TGI	Ø Cable	Ø Cable	Ø Cable	Ø Cable	Ø Cable
THI	4 mm	5 mm	6 mm	8 mm	10 mm
TVI					
Ø	M-8	M-10	M-12	M-16	M-16

TUI



TGI



THI




TVI



Instrucciones de montaje

ASSEMBLY INSTRUCTIONS / MODE D'EMPLOI



Terminales manuales cable entero - Inox

S.S. SWAGELESS TERMINALS

TERMINAL - INOX

AISI 316

Ref.	004	005	006
TCIE			
THIE	Ø Cable	Ø Cable	Ø Cable
TVIE	4 mm	5 mm	6 mm
Ø	M-6	M-8	M-10

THIE



TCIE




TVIE



Instrucciones de montaje

ASSEMBLY INSTRUCTIONS / MODE D'EMPLOI



Acero inoxidable

STAINLESS STEEL

ACIER INOXIDABLE

Sujeta cables - Inox

S.S. WIRE ROPE CLIP

SERRE CABLES - INOX

AISI 316



21I



212I

213I



Ref.	21I018	21I004	21I316	21I014	21I516	21I038
Ø mm	3	4	5	6	8	10

Ref. 212I/213I	02	03	04	05	06
Ø (mm)	2	3	4	5	6

Ref.	21I012	21I916	21I058	21I034	21I078	21I001
Ø mm	12	14	16	20	22	25

Grilletes rectos

Inox

S.S. DEE SHACKLE

MANILLE DROITE - INOX

AISI 316

310I



6	Ref.	A	B	Ø	S.W.L.(Kgrs)
	310I04	8	16	4	100
	310I05	10	20	5	150
	310I06	12	24	6	210
	310I08	16	32	8	400
	310I10	20	40	10	700
	310I12	24	48	12	950
	310I14	28	56	14	1.280
	310I16	32	64	16	1.700
	310I20	40	80	20	2.400
	310I22	44	88	22	2.800
	310I25	50	100	25	3.250
	310I28	56	112	28	3.570
	310I32	64	128	32	4.100


Cabeza allen embutida

WITH HANGED ALLEN PIN

TÊTE 6 PANS CREUX

AISI 316

31AI



6	Ref.	Ø	S.W.L. (Kg)
	31AI06	6	210
	31AI08	8	400
	31AI10	10	700
	31AI12	12	950

Con pasador imperdible

WITH CAPTIVE PIN

AVEC AXE CAPTIF

AISI 316

31LI



6	Ref.	Ø	S.W.L. (Kg)
	31LI08	8	400
	31LI10	10	700

S.W.L. Kgrs. = Carga de trabajo / Safe working load / Charge de travail




Grillete largo - Inox

S.S. LONG DEE SHACKLE
MANILLE DROITE LONGUE-INOX

AISI 316

316I



Ref.	A	B	Ø	S.W.L.(Kgrs)
316I04	8	30	4	100
316I05	10	37	5	150
316I06	12	45	6	210
316I08	16	60	8	400
316I10	20	75	10	700
316I12	24	90	12	950

Grillete revirado Inox

S.S. TWIST SHACKLE
MANILLE TORSE - INOX

AISI 316



317I

Ref.	Ø	S.W.L. (Kgrs)
317I05	5	150
317I06	6	210
317I08	8	400
317I10	10	700
317I12	12	950

Grillete lira Inox

S.S. BOW SHACKLE
MANILLE LYRE - INOX

AISI 316



32I

Ref.	A	B	C	Ø	S.W.L. (Kgrs)
32I004	8	16	12	4	100
32I005	10	20	15	5	150
32I006	12	24	18	6	210
32I008	16	32	24	8	400
32I010	20	40	30	10	700
32I012	24	48	36	12	950
32I016	32	64	48	16	1.700
32I020	40	80	60	20	2.400
32I022	44	88	66	22	2.800
32I024	50	100	75	24	3.250
32I028	56	112	97	28	3.570
32I032	64	128	113	32	4.100

Grillete giratorio - Inox

S.S. EYE AND EYE SWIVEL
EMERILLON - INOX

AISI 316

33I

Ref.	Ø	S.W.L. (Kgrs)
33I005	5	130
33I006	6	210
33I008	8	400
33I010	10	580
33I013	13	1.000
33I016	16	1.750
33I019	19	2.600
33I022	22	3.600
33I025	25	4.300



S.W.L. Kgrs. = Carga de trabajo / Safe working load / Charge de travail

Acero inoxidable


STAINLESS STEEL

ACIER INOXIDABLE

Guardacabo redondo - Inox

S.S. ROUND THIMBLE
COSSE RONDE - INOX

AISI 304



42I

Ref.	42I112	42I002	42I212	42I004
A	13	16	22	30
Ø	36	48	68	98
D	21	29	47	65

Gancho ojo con disp. - Inox

S.S. EYE HOOK WITH LATCH
CROCHET DE LEVAGE À OELL - INOX

AISI 316



511I

Ref.	511I75	511I15	511I35
S.W.L. (Kgrs)	750	1.500	3.500

Gancho giratorio - Inox

S.S. SWIVEL HOOK WITH LATCH
CROCHET DE LEVAGE A EMERILLON - INOX

AISI 316



522I

Ref.	A	M	S.W.L.(Kgrs)
522I50	28	19	500
522I10	28	22	1.000

Cáncamo largo - Inox

S.S. LONG TYPE EYE BOLT
ANNEAU DE LEVAGE LARGUE - INOX

AISI 316

Ref.	A	RxL	S.W.L. (Kgrs)	PESO (Kgrs)
CEI660	16	M6x60	160	0,025
CEI880	19	M8x80	300	0,057
CEI101	24	M10x100	500	0,097
CEI121	28	M12x120	700	0,228

S.W.L. Kgrs. = Carga de trabajo / Safe working load / Charge de travail

Guardacabo - Inox

S.S. WIRE THIMBLE
COSSE COEUR - INOX
AISI 316



410I

Ref.	A	Cable(mm)
410I03	3	2/3
410I04	4	4
410I05	5	4/5
410I07	7	6/7
410I09	9	8
410I12	12	10
410I13	13	12
410I15	15	14
410I17	17	16
410I19	19	18
410I22	22	20
410I25	25	22
410I27	27	24
410I30	30	26/28
410I35	35	32
410I40	40	36

Gancho pelicano Inox

S.S. PELICAN HOOK
CROCHET PELICAN - INOX

AISI 316




GPI

Ref.	GPI006	GPI008
R	M-6	M-8

Gancho ojo - Inox


S.S. EYE HOOK WITH LATCH
MOUSQUETON DE SÉCURITÉ SIMPLE - INOX

AISI 316



51I

Ref.	L	S	S.W.L.(Kgrs)
51I070	70	14	150
51I100	100	21	350



CEI

Cáncamo macho - Inox

S.S. EYE BOLT

ANNEAU DE LEVAGE MÂLE - INOX

AISI 316

6	Ref.	R	S.W.L.(Kgrs)
	541I06	M-6	80
	541I08	M-8	140
	541I10	M-10	230
	541I12	M-12	340
	541I16	M-16	700
	541I20	M-20	1.200
	541I24	M-24	1.800
	541I30	M-30	3.600
	541I36	M-36	5.100



541I

Eses - Inox

S.S. "S" HOOK


CROCHE ESSE - INOX

AISI 316

Ref.	ESEI03	ESEI04	ESEI05	ESEI06	ESEI08
Ø	3 mm	4 mm	5 mm	6 mm	8 mm



ESEI



Mosquetón bombero con ojo - Inox

S.S. SNAP HOOK w/ EYELET

MOUSQUETON DE POMPIER À COSSE RONDE - INOX

AISI 316

7GI

4	Ref.	D x L	d	SWL Kgrs.	ΔΔ Kgrs.
	7GI050	5 x 50	6,5	110	0,02
	7GI060	6 x 60	7,5	130	0,03
	7GI070	7 x 70	8	150	0,05
	7GI080	8 x 80	10	180	0,08
	7GI100	10 x 100	13	250	0,16
	7GI120	11 x 120	16	280	0,21
	7GI140	12 x 140	17	300	0,28

Cáncamo hembra - Inox

S.S. EYE NUT

ANNEAU DE LEVAGE FEMELLE - INOX

AISI 316

6	Ref.	R	S.W.L.(Kgrs)
	542I06	M-6	80
	542I08	M-8	140
	542I10	M-10	230
	542I12	M-12	340
	542I16	M-16	700
	542I20	M-20	1.200
	542I24	M-24	1.800
	542I30	M-30	3.600



542I




7DSI10

Mosquetón doble seguridad - Inox

S. S. SNAP HOOK DOUBLE LOCKING

MOUSQUETON DOUBLE SECURITÉ - INOX

AISI 316



Mosquetón bombero - Inox

S.S. SNAP HOOK

MOUSQUETON DE POMPIER - INOX

AISI 316

71I

4	Ref.	D x L	SWL Kgrs.	ΔΔ Kgrs.
	71I040	4 x 40	35	0,009
	71I050	5 x 50	110	0,02
	71I060	6 x 60	130	0,03
	71I070	7 x 70	150	0,05
	71I080	8 x 80	180	0,07
	71I100	10 x 100	250	0,14
	71I120	11 x 120	280	0,19
	71I140	12 x 140	300	0,26
	71I160	13 x 160	250	0,35